

### **Auxin-Trait Approvals**

For information purposes only. Information accurate as of **1/29/2024** and subject to change. Always refer to the tank mix approval site for final approval. All dicamba products require a DRA and a VRA. Always check the label and confirm the product is approved on partners' website.

 $\checkmark$  = Approved  $\mathbf{X}$  = Not Approved

				· ·	7-7	
LPI PRODUCT	CATEGORY	>XTENDIMAX	Engenia <sup>®</sup> Herbicide	<b>V</b> Tavium	<b>i Enlist Duo</b> °	<b>≢</b> Enlist One°
ACCOMPLISH LM	Nutritional	<b>√</b>	X	<b>√</b>	X	Х
ACEPHATE 90 WDG	Insecticide	<b>✓</b>	$\checkmark$	<b>√</b>	<b>✓</b>	$\checkmark$
ACTAMASTER	Dry AMS	x	X	X	<b>√</b>	<b>√</b>
ACTIVATOR 90	Adjuvant	<b>√</b>	$\checkmark$	$\checkmark$	x	$\checkmark$
ALTURA	Nutritional	x	X	X	<b>√</b>	<b>✓</b>
ATIVUS PK	Other	X	X	X	x	$\checkmark$
AWAKEN 3D 16-0-2	Nutritional	$\checkmark$	$\checkmark$	$\checkmark$	<b>✓</b>	<b>√</b>
BLACKMAX 22 0-0-4	Nutritional	$\checkmark$	$\checkmark$	$\checkmark$	x	$\checkmark$
BOROSOL 10	Nutritional	x	$\checkmark$	X	x	$\checkmark$
CHOICE TRIO	Adjuvant	<b>✓</b>	$\checkmark$	<b>√</b>	<b>✓</b>	<b>✓</b>
CHOICE WEATHERMASTER	Adjuvant	X	X	X	<b>✓</b>	<b>✓</b>
COMPADRE	Adjuvant	<b>✓</b>	$\checkmark$	$\checkmark$	<b>✓</b>	<b>✓</b>
COMP-AID	Adjuvant	<b>✓</b>	$\checkmark$	X	X	x
DELTA COMPLETE	DRA/VRA	<b>✓</b>	$\checkmark$	<b>✓</b>	X	x
DELTA FORCE	DRA	<b>✓</b>	$\checkmark$	$\checkmark$	X	x
DELTA LOCK	VRA	<b>✓</b>	$\checkmark$	<b>√</b>	X	x
DIMETHOATE 400	Insecticide	<b>✓</b>	$\checkmark$	X	X	x
DIURON 4L	Herbicide	<b>✓</b>	$\checkmark$	<b>√</b>	X	x
DIURON 80	Herbicide	X	X	$\checkmark$	<b>✓</b>	<b>✓</b>
E-Z MIX	Adjuvant	<b>✓</b>	$\checkmark$	$\checkmark$	X	$\checkmark$
FLAME	Adjuvant	X	X	X	<b>1</b>	<b>✓</b>
FORFEIT 280	Herbicide	X	X	X	X	$\checkmark$
FRANCHISE	Adjuvant	X	X	<b>✓</b>	X	X
FREEWAY	Adjuvant	$\checkmark$	$\checkmark$	$\checkmark$	X	X
HERBIMAX	Adjuvant	$\checkmark$	$\checkmark$	$\checkmark$	X	$\checkmark$
HOLSTER	Insecticide	$\checkmark$	$\checkmark$	$\checkmark$	X	$\checkmark$
INFUSE	Adjuvant	X	$\checkmark$	$\checkmark$	X	$\checkmark$
INTENSITY	Herbicide	<b>✓</b>	$\checkmark$	$\checkmark$	<b>✓</b>	<b>✓</b>

<sup>\*</sup>Continues on next page













# Auxin-Trait Approvals (Cont)

For information purposes only. Information accurate as of **1/29/2024** and subject to change. Always refer to the tank mix approval site for final approval. All dicamba products require a DRA and a VRA. Always check the label and confirm the product is approved on partners' website.

 $\checkmark$  = Approved X = Not Approved

LPI PRODUCT	CATEGORY	»XTENDIMAX	Engenia <sup>®</sup>	<b>V</b> Tavium	<b>≜</b> Enlist Duo°	<b>≟</b> Enlist One°
INTENSITY ONE	Herbicide	<b>√</b>	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>
INTIMIDATOR	Herbicide	$\checkmark$	$\checkmark$	$\checkmark$	X	X
INVERTID 2F	Insecticide	$\checkmark$	X	<b>✓</b>	$\checkmark$	$\checkmark$
LI 700	Adjuvant	X	X	X	$\checkmark$	$\checkmark$
LIBERATE	Adjuvant	$\checkmark$	$\checkmark$	<b>✓</b>	$\checkmark$	$\checkmark$
LIQUID HUMUS	Nutritional	$\checkmark$	$\checkmark$	<b>✓</b>	X	X
LOKOMOTIVE 2-0-25	Nutritional	✓	$\checkmark$	<b>√</b>	<b>√</b>	x
MAD DOG 5.4	Herbicide	X	X	X	X	$\checkmark$
MAD DOG K6	Herbicide	✓	$\checkmark$	<b>√</b>	x	<b>√</b>
MAGISTRATE	Fungicide	X	$\checkmark$	X	<b>√</b>	$\checkmark$
MAKAZE	Herbicide	X	X	x	X	$\checkmark$
MAKAZE K	Herbicide	$\checkmark$	$\checkmark$	X	X	$\checkmark$
MATADOR	Herbicide	✓	X	<b>√</b>	x	x
MATADOR-S	Herbicide	$\checkmark$	$\checkmark$	$\checkmark$	X	X
MAXIMIZER	Adjuvant	X	X	$\checkmark$	X	X
MAXIMUM N-PACT 24-0-0	Nutritional	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
MAXIMUM N-PACT B 12-0-0	Nutritional	$\checkmark$	$\checkmark$	$\checkmark$	X	$\checkmark$
MAXIMUM N-PACT K 12-0-12	Nutritional	$\checkmark$	$\checkmark$	<b>✓</b>	$\checkmark$	$\checkmark$
MEPIQUAT	Nutritional	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	<b>√</b>
METRIBUZIN 75	Herbicide	$\checkmark$	$\checkmark$	<b>✓</b>	X	$\checkmark$
MISSILE	Adjuvant	X	$\checkmark$	$\checkmark$	1	<b>\</b>
MONARCH	Herbicide	X	$\checkmark$	$\checkmark$	X	$\checkmark$
MONGOOSE	Herbicide	$\checkmark$	X	$\checkmark$	X	X
MSO CONCENTRATE WITH LECI-TECH	Adjuvant	$\checkmark$	$\checkmark$	$\checkmark$	<b>√</b>	<b>✓</b>
N-PACT 26-0-0	Nutritional	<b>√</b>	$\checkmark$	X	X	X
NUTRISYNC 3D 0-2-1	Nutritional	<b>√</b>	$\checkmark$	$\checkmark$	X	<b>√</b>
NUTRISYNC BORON	Nutritional	<b>√</b>	$\checkmark$	$\checkmark$	<b>√</b>	<b>√</b>
NUTRISYNC COMPLETE 3D 10-4-6	Nutritional	<b>✓</b>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$

<sup>\*</sup>Continues on next page













# Auxin-Trait Approvals (Cont)

For information purposes only. Information accurate as of **1/29/2024** and subject to change. Always refer to the tank mix approval site for final approval. All dicamba products require a DRA and a VRA. Always check the label and confirm the product is approved on partners' website.

 $\checkmark$  = Approved X = Not Approved

LPI PRODUCT	CATEGORY	>XTENDIMAX	Engenia <sup>®</sup>	<b>V</b> Tavium	<b>≜</b> Enlist Duo°	<b>≢</b> Enlist One°
NUTRISYNC MN	Nutritional	<b>√</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>
NUTRISYNC PHOS 4-10-4	Nutritional	<b>✓</b>	X	X	<b>√</b>	<b>√</b>
NUTRISYNC ZINC	Nutritional	<b>✓</b>	X	<b>√</b>	X	X
PHASE	Adjuvant	X	$\checkmark$	<b>✓</b>	X	X
POTENZA	PGR	<b>✓</b>	$\checkmark$	<b>√</b>	<b>√</b>	<b>√</b>
PRE-TECTOR PLUS EC	Herbicide	<b>√</b>	X	X	X	X
RADIATE	PGR	<b>√</b>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
RADIATE NEXT	PGR	X	X	X	$\checkmark$	$\checkmark$
REAPER CLEARFORM	Insecticide	<b>√</b>	X	$\checkmark$	X	$\checkmark$
REAX B	Nutritional	X	X	<b>✓</b>	X	$\checkmark$
REAX K 0-0-25	Nutritional	<b>✓</b>	$\checkmark$	<b>√</b>	x	$\checkmark$
REAX MN (ACTAGRO MANGANESE 4%)	Nutritional	X	X	X	<b>√</b>	$\checkmark$
RE-NFORCE K 5-0-20	Nutritional	<b>✓</b>	$\checkmark$	<b>√</b>	x	X
RESIST	Nutritional	<b>✓</b>	$\checkmark$	<b>✓</b>	X	X
RESIST SW	Nutritional	<b>√</b>	$\checkmark$	$\checkmark$	X	X
SATORI	Fungicide	X	$\checkmark$	X	$\checkmark$	$\checkmark$
SCANNER	Adjuvant	<b>√</b>	$\checkmark$	$\checkmark$	X	X
SNIPER	Insecticide	$\checkmark$	$\checkmark$	$\checkmark$	X	$\checkmark$
SNIPER HELIOS	Insecticide	<b>√</b>	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
SPREADER 90	Adjuvant	$\checkmark$	$\checkmark$	$\checkmark$	X	X
STEALTH	Herbicide	$\checkmark$	X	$\checkmark$	X	X
STRIKE FORCE	Adjuvant	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$	$\checkmark$
SWAGGER	Insecticide	$\checkmark$	$\checkmark$	$\checkmark$	<b>✓</b>	<b>✓</b>
TASK FORCE 3D 11-4-6	Nutritional	<b>✓</b>	$\checkmark$	$\checkmark$	<b>√</b>	$\checkmark$
TERRAMAR 0-0-2	Nutritional	✓	$\checkmark$	X	$\checkmark$	$\checkmark$
TERRAMAR 0-0-4	Nutritional	<b>✓</b>	$\checkmark$	$\checkmark$	✓	$\checkmark$
THRUST	Adjuvant	X	X	X	<b>√</b>	$\checkmark$
TOMBSTONE	Insecticide	<b>✓</b>	X	<b>✓</b>	<b>√</b>	<b>✓</b>

<sup>\*</sup>Continues on next page













# Auxin-Trait Approvals (Cont)

For information purposes only. Information accurate as of 1/29/2024 and subject to change. Always refer to the tank mix approval site for final approval. All dicamba products require a DRA and a VRA. Always check the label and confirm the product is approved on partners' website.

$\checkmark$	= Approved	X = Not Approved

LPI PRODUCT	CATEGORY	»XTENDIMAX	Engenia <sup>*</sup>	<b>V</b> Tavium	<b>≜</b> Enlist Duo°	<b>≟</b> Enlist One°
TOMBSTONE HELIOS	Insecticide	<b>√</b>	$\checkmark$	$\checkmark$	<b>√</b>	<b>✓</b>
TOP GUN	Herbicide	$\checkmark$	$\checkmark$	$\checkmark$	X	X
TRIBAL	Herbicide	$\checkmark$	$\checkmark$	$\checkmark$	X	X
TRIFLURALIN HF	Herbicide	$\checkmark$	X	$\checkmark$	X	X
UNFOAMER	Adjuvant	$\checkmark$	$\checkmark$	X	X	X
UNFORGIVEN	Insecticide	$\checkmark$	X	X	$\checkmark$	$\checkmark$
WARHAWK	Insecticide	X	X	X	$\checkmark$	<b>✓</b>
WARHAWK CLEARFORM	Insecticide	X	X	X	X	$\checkmark$
WEATHER GARD COMPLETE	Adjuvant	$\checkmark$	X	$\checkmark$	X	<b>√</b>
WRANGLER	Insecticide	$\checkmark$	x	$\checkmark$	$\checkmark$	$\checkmark$

### **VRA/Buffering Agents**

RATE	»XTENDIMAX	Engenia <sup>*</sup>	🗑 Tavium°
8 fl. oz./A	AGEOS	AGEOS	AGEOS
8 fl. oz./A	SENTRIS	SENTRIS	SENTRIS
20 fl. oz./A	DELTA LOCK	DELTA LOCK	DELTA LOCK
4 qts/A	_	_	MAXIMUM N-PACT K
4 qts/A	_	_	LOKOMOTIVE
4 qts/A	REAX K	REAX K	REAX K
1.75% v/v	DELTA COMPLETE	DELTA COMPLETE	DELTA COMPLETE











